

راهنمای فارسی
harman/kardon
Adapt
آداپتور صوتی HD بیسیم



تهیه شده در بخش خدمات پس از فروش شرکت شاب

آدرس: تهران، چیدر، میدان ندا، پلاک ۵۸

تلفن: (۱۰ خط) ۲۲۶۸۶۸۱۸

www.shobtech.com
technical@shobtech.com




محتویات داخل جعبه:


یک عدد دستگاه Adapt

یک عدد کابل شارژ USB


یک عدد آداپتور




دکمه ها



اتصالات




نرم افزار



نرم افزار Harman Kardon Controller را برای راه اندازی و کنترل Adapt
دانلود کنید.

WPS(Wi-Fi Protected Setup)



WPS
① 0.5s





②

	OFF
	ON
	Blinking

وضعیت	جراغ
در حال اتصال	
وصل شد	


پخش از وای-فای از طریق نرم افزار Harman Kardon Controller




	OFF
	ON
	Blinking

وضعیت	جراغ
وای-فای وصل شد	
در حال پخش از وای-فای	


بلوتوث




ورودی منبع Aux-in



پخش موزیک در چند اتاق



Party Mode



مشخصات دستگاه Adapt

- Model Name: HK ADAPT
- Output voltage: >1Vrms
- Frequency response: 20Hz~20kHz -6dB
- Signal-to-noise ratio: >85dB
- Input connections: Bluetooth®, Aux-in, Wi-Fi
- Dimensions (W x D x H): 118mm x 86mm x 30mm
- Weight: 121g
- Power supply: 5VDC, 1.0A
- Bluetooth® transmitter frequency range: 2402 – 2480MHz
- Bluetooth® transmitter power: <4dBm
- Bluetooth® transmitter modulation: GFSK, $\pi/4$ DQPSK, 8DPSK
- 2.4G Wi-Fi transmitter frequency range: 2412 – 2472MHz
(2.4GHz ISM Band, USA 11 Channels, Europe and others 13 Channels)
- 2.4G Wi-Fi transmitter power: <20dBm (EIRP)
- 2.4G Wi-Fi modulation: OFDM, DSSS, DBPSK, DQPSK, CCK,
16QAM, 64QAM
- 2.4G Wi-Fi network compatibility: IEEE 802.11b/g/n